



HERCULUX Chengdu HercuLux Photoelectric
 恒坤光电 Technology Co.,Ltd
Product Approval

Approval number : _____

Customer :

Product : 5225 15 °Lens

Material Code : 1.01.4286

PN : HK-52@25-15-D6-20-1g-1

Manufacturer : Chengdu HercuLux Photoelectric Technology Co.,Ltd



Supplier confirmation				Client confirmation			
Proposed		DATE		Qualified <input type="checkbox"/>		DATE	
Project manager		DATE		Unqualified <input type="checkbox"/>		DATE	
Audit		DATE		Audit		DATE	
Approved		DATE		Approved		DATE	
Stamp		DATE		Stamp		DATE	

(Confirmation of acceptance by both parties must be signed and sealed)

Factory: Chengdu Shuangliu District, Iot industrial park 2 road HercuLux Photoelectric Park

Phone : 028-85887727 (801) 028-85887990 (801)

Fax : 028-85887730

www.hkoptics.com

Sales Dept: Shenzhen Nanshan District Nanshan Cloud Valley Innovation Industrial Park Comprehensive Service Building,

TEL: 0755-2937 1541

FAX: 0755-2907 5140

*Approval In duplicate , for both supplier and customer.



HERCULUX
恒坤光电

Product Approval



TEL: 0755-2937 1541

FAX: 0755-2907 5140



www.hkoptics.com

Date updated: 2018/12/27

Product Picture:	
PN:	HK-52@25-15-D6-20-1g-1
Size(L*W*H/ Φ *H):	Φ :52mm*H:24.8mm
1.07.81418_HK-166@03-0223-S	PC
Efficiency:	\
Temperature(Topr):	-40°C to +120°C
FWHM:	15°
Matched LES:	D6



GO1900L GONIOPHOTOMETER Test Report Page 1 Of 2



Intensity data: (deg , cd) CO-180


A	I	A	I	A	I	A	I	A	I	A	I
-90.0	0.3277	-58.5	5.381	-27.0	30.52	4.5	4564	36.0	13.79	67.5	3.808
-88.5	0.4298	-57.0	5.666	-25.5	37.93	6.0	3414	37.5	12.51	69.0	3.464
-87.0	0.5430	-55.5	5.951	-24.0	46.45	7.5	2409	39.0	11.48	70.5	3.058
-85.5	0.6671	-54.0	6.412	-22.5	57.32	9.0	1656	40.5	10.57	72.0	2.605
-84.0	0.8032	-52.5	6.575	-21.0	73.83	10.5	1082	42.0	9.842	73.5	2.077
-82.5	0.9629	-51.0	6.728	-19.5	103.0	12.0	685.5	43.5	9.188	75.0	1.817
-81.0	1.178	-49.5	7.003	-18.0	152.8	13.5	426.4	45.0	8.649	76.5	1.668
-79.5	1.369	-48.0	7.352	-16.5	232.7	15.0	252.8	46.5	8.131	78.0	1.551
-78.0	1.503	-46.5	7.844	-15.0	354.1	16.5	168.6	48.0	7.622	79.5	1.420
-76.5	1.606	-45.0	8.398	-13.5	540.7	18.0	118.2	49.5	7.143	81.0	1.263
-75.0	1.757	-43.5	8.981	-12.0	817.1	19.5	87.48	51.0	6.755	82.5	1.045
-73.5	2.037	-42.0	9.632	-10.5	1216	21.0	68.41	52.5	6.415	84.0	0.8645
-72.0	2.548	-40.5	10.42	-9.0	1763	22.5	55.67	54.0	6.142	85.5	0.7385
-70.5	3.044	-39.0	11.25	-7.5	2438	24.0	47.22	55.5	5.723	87.0	0.6466
-69.0	3.524	-37.5	12.21	-6.0	3303	25.5	40.10	57.0	5.460	88.5	0.5334
-67.5	3.894	-36.0	13.39	-4.5	4337	27.0	32.36	58.5	5.251	90.0	0.4327
-66.0	4.154	-34.5	14.79	-3.0	5439	28.5	26.51	60.0	4.999		
-64.5	4.360	-33.0	16.51	-1.5	6321	30.0	22.39	61.5	4.755		
-63.0	4.551	-31.5	18.62	0.0	6676	31.5	19.22	63.0	4.517		
-61.5	4.756	-30.0	21.37	1.5	6448	33.0	16.95	64.5	4.299		
-60.0	5.031	-28.5	25.08	3.0	5692	34.5	15.19	66.0	4.087		


Electricity Parameter:

Current I: 0.1000A Power: 3.570W
 Voltage V: 35.70V PF: 1.000

Optical Parameter (Distance=2.410m):

Equivalent Luminous flux: Φ_{eff} = 449.9lm Efficiency: Eff = 126.04lm/W
 Diffuse angle: @ (25%) : 18.1deg @ (50%) : 12.0deg @ (75%) : 7.4deg @ (50%) : 12.0deg
 Diffuse angle: @ (25%) : 18.1deg @ (50%) : 12.0deg @ (75%) : 7.4deg @ (50%) : 12.0deg
 Imax=6676cd (C=0.0deg, G=0.0deg) CO-180Plane Imax= 6676cd(G=0.0deg)
 CO-180Plane IO= 6676cd






		Standard size	Upper Size limit	Lower size limit	Test result1	Test result2	Test result3	Test result4	Judgment	Remarks																																										
1.Size	diameter	52	/	/	51.76	/	/	/	/	Test environment: In 20 °C -25 °C environment to achieve thermal equilibrium after the test.																																										
	height	22.8	/	/	22.73	/	/	/	/																																											
	Gate shear can not affect the appearance of the lamp																																																			
	See attachment "Appearance Inspection Standards"																																																			
2.Appearance Quality	See attachment "Appearance Inspection Standards"	E	No burr		No burr		No burr		OK																																											
			No stains		No stains		No stains		OK																																											
3.Material	PC				Color	Transparent			OK																																											
4.Optical index	Testing LED	D6																																																		
	FWHM	See light distribution curve																																																		
	angle	/			11.5	/		/		/																																										
	K-value	/			17.29	/		/		/																																										
	Efficiency	/			88.44%	/		/		/																																										
Facula	See the signature sample																																																			
Comprehensive judgment	Qualified																																																			
Remarks:	<p>1、 Tool Number: V-Vernier Caliper 2D-Quadratic H-Height Gauge M-Tool Microscope P-Needle T-Thick Gauge R-Radius Gauge E-Visual.</p> <p>2、 Ambient temperature on the size of the product refer to the table on the right</p>																																																			
	<p style="text-align: center;">PC product size changes with temperature table</p>  <table border="1"> <caption>Data for PC product size changes with temperature table</caption> <thead> <tr> <th>Temperature (°C)</th> <th>Size: 50mm</th> <th>Size: 100mm</th> <th>Size: 150mm</th> <th>Size: 200mm</th> <th>Size: 250mm</th> <th>Size: 300mm</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td>10</td> <td>0.05</td> <td>0.08</td> <td>0.12</td> <td>0.15</td> <td>0.18</td> <td>0.22</td> </tr> <tr> <td>20</td> <td>0.08</td> <td>0.15</td> <td>0.22</td> <td>0.30</td> <td>0.38</td> <td>0.45</td> </tr> <tr> <td>30</td> <td>0.10</td> <td>0.20</td> <td>0.30</td> <td>0.40</td> <td>0.50</td> <td>0.60</td> </tr> <tr> <td>40</td> <td>0.15</td> <td>0.28</td> <td>0.40</td> <td>0.55</td> <td>0.70</td> <td>0.80</td> </tr> </tbody> </table>										Temperature (°C)	Size: 50mm	Size: 100mm	Size: 150mm	Size: 200mm	Size: 250mm	Size: 300mm	0	0.00	0.00	0.00	0.00	0.00	0.00	10	0.05	0.08	0.12	0.15	0.18	0.22	20	0.08	0.15	0.22	0.30	0.38	0.45	30	0.10	0.20	0.30	0.40	0.50	0.60	40	0.15	0.28	0.40	0.55	0.70	0.80
Temperature (°C)	Size: 50mm	Size: 100mm	Size: 150mm	Size: 200mm	Size: 250mm	Size: 300mm																																														
0	0.00	0.00	0.00	0.00	0.00	0.00																																														
10	0.05	0.08	0.12	0.15	0.18	0.22																																														
20	0.08	0.15	0.22	0.30	0.38	0.45																																														
30	0.10	0.20	0.30	0.40	0.50	0.60																																														
40	0.15	0.28	0.40	0.55	0.70	0.80																																														
Precautions:	<p>1、 Wear clean gloves during lens assembly to prevent contamination of the lens surface.</p> <p>2、 Take the lens try to avoid touching the total reflection surface.</p> <p>3、 When the lens surface contamination, you can only gently wipe with soft cotton sticky neat neutral solvent, not allowed to wipe with industrial solvents.</p>																																																			

PN	HK-52@25-15-D6-20-1g-1		Product Name	5225 15 °Lens			
Product material	PC		Customer				
Package diagram	 <p style="text-align: center;"> Single Vacuum package Box package </p>						
Product packing	14	A/ Box	4	Box/Layer			
	8	Layer/Box	448	A/ Carton			
Packaging Materials	NO.	Part No	Part name	Size	Dosage	Unit	Remarks
	1	2.07.0008	Blister box	23cm*21cm	32	BAG	
	2	2.08.0001	PE film	30cm*30cm	32	PCS	
	3	2.06.0005	Reel label paper	6.2cm*8cm	48	PCS	
	4	2.06.0005	Box label paper	6.2cm*9.2cm	1	PCS	
	5	2.06.0003	big plate	46.8cm*42.8cm	9	PCS	
	6	2.06.0001	big carton	46.8cm*42.8cm*36cm	1	PCS	
Remarks	The loose packing is not subject to this specification. Customer's requirements shall prevail(There are three layers of 24 bags for each layer and 5 bags for the top layer)						

Special notice

When glue pass through holes, columns and other structures, or part of the thin structure, will form a weld line. The product which uses multi-point injection welding line will appear because of the combination of sol, as shown below:

Syntner



Please note :

The appearance of lines in the structure of the product as well as at the screw hole is a normal phenomenon, will not affect the actual use of the product, and can not be avoided at this stage.

Appearance inspection standards

1 Operating procedures

1.1.1 Sampling standards, sampling plan and AQL

Test level : GB/T2828.1-2012 The first part is according to the acceptance quality limit (AQL) retrieval batch inspection sampling plan, general inspection level II level, CR class defect coefficient 0, MA defect rejection level AQL = 0.65, MI class defect rejection level AQL = 1.0; defect level please see 5.4.

2 Code table

Code	Code description	Unit	Code		Code description	Unit
N	Amount/pcs	pcs	D		Diameter	mm
L	Length	mm	H		Depth	mm
W	Width	mm	DS		Distance	mm
S	Proportion	mm ²	SS		Offset	mm

3 Test conditions

3.1 Sight distance and working hours: Sight distance should be 30-35cm, each side of the inspection time does not exceed 12s, the visual angle of 45-135 degrees;

3.2 Light: 2x40w cool white fluorescent lamp, the light source is 500-550mm away from the lens surface; in order to make the appearance defect can be correctly recognized, the illumination should be 500-1000Lux, and the observation time is 10 seconds.

3.3 Visual inspection staff should be 1.0 (including corrected visual acuity) above, no color blindness, color weakness.

4 Appearance inspection standards

Test items	Judging standard	Inspection equipment	Defect level		
		Testing method	MI	MA	CR
Check the sample	When start the machine and process, all products have to check the appearance of the sample, the appearance of the sample is divided into qualified samples and limited samples.	Sample comparison , visual			
	1: Qualified sample refers to the appearance and structure standard of the product which recognized by the client, the sample size should be confirmed before mass production;				

	2: The limited sample refers to the limit of a particular exceptionally developed sample. Limit the sample only for its specific point of exception to confirm; The priority is higher than the other criteria in this table. When there is a limited sample, the limit sample shall prevail.				
Raw edge	Not allowed to affect the size and assembly	Visual, point card		√	
Scratch	1: Non-optical surface and non-exposed surface scratches should be visually insignificant and the length is less than 1/10 of the maximum surface size.	Visual, point card, calipers		√	
Fingerprint	Fingerprints are not allowed on all products	Visual		√	
Foreign objects, black spots, white spots	The product may not be attached to foreign objects, including oil, fiber, dregs of water gap and so on				√
Deformation	Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces.	Visual, feeler			√
Poor ejection	Products may not appear bad ejection, including no convex top, thimble printed on the assembly surface shall not be higher than the product surface, non-assembled surface thimble height should not exceed the product size tolerances; thimble printing should be less than the product surface and no more than 0.3; thimble surface treatment should be consistent with the product side.	Visual, point card		√	
	Ejection strain: the optical surface and the appearance of the exposed surface after assembly are not allowed to have a strain, and the structural surface does not allow visual obvious strain.				
Insufficient filling	Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces , The signature sample shall prevail.	Visual, point card		√	
Shrink	When the entire surface of the product shrinks, the optical properties and dimensions must meet the requirements, and the visual will not significantly affect the appearance.Part shrink reference point defects	Visual, point card		√	
Flow marks、Welding line	1 : Product does not allow the presence of flow marks and welding lines unless the structure can not be avoided;	Visual		√	
	2: The remaining flow marks shall not appear in the optical surface, a single L ≤ 10mm, no more than two				

Bubble	No bubbles are allowed	Visual		√	
Foreign objects, black spots, white spots	Not obvious or $D \leq 0.3\text{mm}$ black spots and foreign bodies in the area of $100 \times 100\text{mm}$ not more than 1; Exceeded foreign matter black spots is judged bad.	Visual, point card	√		
Damaged	No damage is allowed	Visual			√
Cold glue	Optical surface may not have cold glue, non-optical surface cold glue should meet the visual is not obvious.	Visual	√		
Bad incision	1: Do not affect the product size, shall not penetrate the optical surface, the cut should be smooth;	Visual			√
	2: Laser cutting products, the optical surface burns shall not occur after the processing is completed. Beading must not affect product installation				
	3: Three molds and hot runner gate shall not appear residue.				
Scrub	Scrub surface should be uniform, off the scrub phenomenon should not be obvious , A single off scrub imprint requires $D \leq 1\text{ mm}$ and no more than 1 area within a $50 \times 50\text{ mm}$ area	Visual		√	



HERCULUX Chengdu HercuLux Photoelectric
 恒坤光电 Technology Co.,Ltd
Product Approval

Approval number :

Customer :

Product : 5225 24 °Lens

Material Code : 1.01.4288

PN : HK-52@25-24-D6-20-1g-1

Manufacturer : Chengdu HercuLux Photoelectric Technology Co.,Ltd



Supplier confirmation				Client confirmation			
Proposed		DATE		Qualified <input type="checkbox"/>		DATE	
Project manager		DATE		Unqualified <input type="checkbox"/>		DATE	
Audit		DATE		Audit		DATE	
Approved		DATE		Approved		DATE	
Stamp		DATE		Stamp		DATE	

(Confirmation of acceptance by both parties must be signed and sealed)

Factory: Chengdu Shuangliu District, Iot industrial park 2 road HercuLux Photoelectric Park

Phone : 028-85887727 (801) 028-85887990 (801)

Fax : 028-85887730

www.hkoptics.com

Sales Dept: Shenzhen Nanshan District Nanshan Cloud Valley Innovation Industrial Park Comprehensive Service Building,

TEL: 0755-2937 1541

FAX: 0755-2907 5140

*Approval In duplicate , for both supplier and customer.



HERCULUX
恒坤光电

Product Approval


TEL: 0755-2937 1541

FAX: 0755-2907 5140

www.hkoptics.com

Date updated: 2018/12/27



Product Picture:	
PN:	HK-52@25-24-D6-20-1g-1
Size(L*W*H/Φ*H):	Φ:52mm*H:24.8mm
1.07.81418_HK-166@03-0223-S	PC
Efficiency:	\
Temperature(Topr):	-40°C to +120°C
FWHM:	24°
Matched LES:	D6





Technical Requirement:

1. The surface don't have any defects of flash, shrink and bubble.
2. The uncharted fillet and pattern draft subject to the 3D drawing.
3. The uncharted dimensional tolerance subject to the 3D drawing.

Optical Design			HK-52025-24-D6-20-1g-1		1.01.4288
Structure Design		5225 24 ° Lens	Pages	Qty	Weight
Assess			2		
Authorized		Material: PC	CDHK		



GO1900L GONIOPHOTOMETER Test Report Page 1 Of 2



Intensity data:(deg , cd) CO-180

A	I	A	I	A	I	A	I	A	I	A	I
-90.0	0.2803	-58.5	5.989	-27.0	57.44	4.5	3431	36.0	17.18	67.5	3.797
-88.5	0.3825	-57.0	6.547	-25.5	76.60	6.0	3184	37.5	15.48	69.0	3.394
-87.0	0.4848	-55.5	7.226	-24.0	102.9	7.5	2835	39.0	14.15	70.5	2.980
-85.5	0.6132	-54.0	7.871	-22.5	139.7	9.0	2417	40.5	13.11	72.0	2.471
-84.0	0.8292	-52.5	8.357	-21.0	189.1	10.5	1967	42.0	12.33	73.5	2.049
-82.5	1.007	-51.0	8.750	-19.5	260.6	12.0	1526	43.5	11.78	75.0	1.906
-81.0	1.162	-49.5	9.144	-18.0	372.1	13.5	1126	45.0	11.44	76.5	1.789
-79.5	1.365	-48.0	9.509	-16.5	545.1	15.0	788.1	46.5	11.16	78.0	1.629
-78.0	1.531	-46.5	9.761	-15.0	781.7	16.5	539.9	48.0	10.76	79.5	1.423
-76.5	1.646	-45.0	10.03	-13.5	1086	18.0	366.7	49.5	10.27	81.0	1.206
-75.0	1.772	-43.5	10.41	-12.0	1451	19.5	255.9	51.0	9.759	82.5	1.027
-73.5	1.930	-42.0	10.99	-10.5	1872	21.0	186.4	52.5	9.193	84.0	0.8616
-72.0	2.384	-40.5	11.74	-9.0	2317	22.5	138.2	54.0	8.589	85.5	0.6716
-70.5	2.828	-39.0	12.59	-7.5	2742	24.0	103.1	55.5	7.732	87.0	0.5648
-69.0	3.224	-37.5	13.60	-6.0	3100	25.5	77.20	57.0	6.805	88.5	0.4868
-67.5	3.657	-36.0	15.10	-4.5	3349	27.0	58.37	58.5	6.179	90.0	0.4089
-66.0	4.001	-34.5	17.32	-3.0	3498	28.5	44.70	60.0	5.684		
-64.5	4.317	-33.0	20.66	-1.5	3559	30.0	34.83	61.5	5.214		
-63.0	4.639	-31.5	25.55	0.0	3590	31.5	27.79	63.0	4.812		
-61.5	5.039	-30.0	32.73	1.5	3592	33.0	22.97	64.5	4.485		
-60.0	5.500	-28.5	43.09	3.0	3554	34.5	19.51	66.0	4.152		

Electricity Parameter:

Current I: 0.1000A Power: 3.600W
 Voltage V: 36.00V PF: 1.000

Optical Parameter (Distance=2.559m):

Equivalent Luminous flux: Φ_{eff} = 584.2lm Efficiency: Eff = 162.28lm/W
 Diffuse angle: @ (25%) : 28.7deg @ (50%) : 21.7deg @ (75%) : 15.6deg @ (50%) : 21.7deg
 Diffuse angle: @ (25%) : 28.7deg @ (50%) : 21.7deg @ (75%) : 15.6deg @ (50%) : 21.7deg
 I_{max} = 3596cd (C=0.0deg, G=1.0deg) CO-180Plane I_{max} = 3596cd (G=1.0deg)
 CO-180Plane I₀ = 3590cd

	Standard size	Upper Size limit	Lower size limit	Test result1	Test result2	Test result3	Test result4	Judgment	Remarks
1.Size	diameter	52		51.75					Test environment: In 20 °C -25 °C environment to achieve thermal equilibrium after the test.
	height	22.8		22.75					
	Gate shear can not affect the appearance of the lamp								
See attachment "Appearance Inspection Standards"									

2.Appearance Quality	See attachment "Appearance Inspection Standards"	E	No burr	No burr	No burr	No burr	OK
			No stains	No stains	No stains	No stains	

3.Material	PC	Color	Transparent	OK
------------	----	-------	-------------	----

4.Optical index	Testing LED	D6			
	FWHM	See light distribution curve			
	angle		11.5		
	K-value		17.29		
	Efficiency		88.44%		
Facula	See the signature sample				

Comprehensive judgment	Qualified
------------------------	-----------


Remarks:

- Tool Number: V-Vernier Caliper 2D-Quadratic H-Height Gauge M-Tool Microscope P-Needle T-Thick Gauge R-Radius Gauge E-Visual.
- Ambient temperature on the size of the product refer to the table on the right

PC product size changes with temperature table

Temperature (°C)	50mm	100mm	150mm	200mm	250mm	300mm
0	0.00	0.00	0.00	0.00	0.00	0.00
10	0.05	0.10	0.15	0.20	0.25	0.30
20	0.10	0.20	0.30	0.40	0.50	0.60
30	0.15	0.30	0.45	0.60	0.75	0.90
40	0.20	0.40	0.60	0.80	1.00	1.20






- Precautions:
- Wear clean gloves during lens assembly to prevent contamination of the lens surface.
 - Take the lens try to avoid touching the total reflection surface.
 - When the lens surface contamination, you can only gently wipe with soft cotton sticky neat neutral solvent, not allowed to wipe with industrial solvents.

PN	HK-52@25-24-D6-20-1g-1		Product Name	5225 24 °Lens			
Product material	PC		Customer				
Package diagram	 <p style="text-align: center;"> Single Vacuum package Box package </p>						
Product packing	14	A/ Box	4	Box/Layer			
	8	Layer/Box	448	A/ Carton			
Packaging Materials	NO.	Part No	Part name	Size	Dosage	Unit	Remarks
	1	2.07.0008	Blister box	23cm*21cm	32	BAG	
	2	2.08.0001	PE film	30cm*30cm	32	PCS	
	3	2.06.0005	Reel label paper	6.2cm*8cm	48	PCS	
	4	2.06.0005	Box label paper	6.2cm*9.2cm	1	PCS	
	5	2.06.0003	big plate	46.8cm*42.8cm	9	PCS	
	6	2.06.0001	big carton	46.8cm*42.8cm*36cm	1	PCS	
Remarks	The loose packing is not subject to this specification. Customer's requirements shall prevail(There are three layers of 24 bags for each layer and 5 bags for the top layer)						

Special notice

When glue pass through holes, columns and other structures, or part of the thin structure, will form a weld line. The product which uses multi-point injection welding line will appear because of the combination of sol, as shown below:

Syntner



Please note :

The appearance of lines in the structure of the product as well as at the screw hole is a normal phenomenon, will not affect the actual use of the product, and can not be avoided at this stage.

Appearance inspection standards

1 Operating procedures

1.1.1 Sampling standards, sampling plan and AQL

Test level : GB/T2828.1-2012 The first part is according to the acceptance quality limit (AQL) retrieval batch inspection sampling plan, general inspection level II level, CR class defect coefficient 0, MA defect rejection level AQL = 0.65, MI class defect rejection level AQL = 1.0; defect level please see 5.4.

2 Code table

Code	Code description	Unit	Code		Code description	Unit
N	Amount/pcs	pcs	D		Diameter	mm
L	Length	mm	H		Depth	mm
W	Width	mm	DS		Distance	mm
S	Proportion	mm ²	SS		Offset	mm

3 Test conditions

3.1 Sight distance and working hours: Sight distance should be 30-35cm, each side of the inspection time does not exceed 12s, the visual angle of 45-135 degrees;

3.2 Light: 2x40w cool white fluorescent lamp, the light source is 500-550mm away from the lens surface; in order to make the appearance defect can be correctly recognized, the illumination should be 500-1000Lux, and the observation time is 10 seconds.

3.3 Visual inspection staff should be 1.0 (including corrected visual acuity) above, no color blindness, color weakness.

4 Appearance inspection standards

Test items	Judging standard	Inspection equipment	Defect level		
		Testing method	MI	MA	CR
Check the sample	When start the machine and process, all products have to check the appearance of the sample, the appearance of the sample is divided into qualified samples and limited samples.	Sample comparison , visual			
	1: Qualified sample refers to the appearance and structure standard of the product which recognized by the client, the sample size should be confirmed before mass production;				

	2: The limited sample refers to the limit of a particular exceptionally developed sample. Limit the sample only for its specific point of exception to confirm; The priority is higher than the other criteria in this table. When there is a limited sample, the limit sample shall prevail.				
Raw edge	Not allowed to affect the size and assembly	Visual, point card		√	
Scratch	1: Non-optical surface and non-exposed surface scratches should be visually insignificant and the length is less than 1/10 of the maximum surface size.	Visual, point card, calipers		√	
Fingerprint	Fingerprints are not allowed on all products	Visual		√	
Foreign objects, black spots, white spots	The product may not be attached to foreign objects, including oil, fiber, dregs of water gap and so on				√
Deformation	Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces.	Visual, feeler			√
Poor ejection	Products may not appear bad ejection, including no convex top, thimble printed on the assembly surface shall not be higher than the product surface, non-assembled surface thimble height should not exceed the product size tolerances; thimble printing should be less than the product surface and no more than 0.3; thimble surface treatment should be consistent with the product side.	Visual, point card		√	
	Ejection strain: the optical surface and the appearance of the exposed surface after assembly are not allowed to have a strain, and the structural surface does not allow visual obvious strain.				
Insufficient filling	Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces , The signature sample shall prevail.	Visual, point card		√	
Shrink	When the entire surface of the product shrinks, the optical properties and dimensions must meet the requirements, and the visual will not significantly affect the appearance.Part shrink reference point defects	Visual, point card		√	
Flow marks、Welding line	1 : Product does not allow the presence of flow marks and welding lines unless the structure can not be avoided;	Visual		√	
	2: The remaining flow marks shall not appear in the optical surface, a single L ≤ 10mm, no more than two				

Bubble	No bubbles are allowed	Visual		√	
Foreign objects, black spots, white spots	Not obvious or $D \leq 0.3\text{mm}$ black spots and foreign bodies in the area of 100x100mm not more than 1; Exceeded foreign matter black spots is judged bad.	Visual, point card	√		
Damaged	No damage is allowed	Visual			√
Cold glue	Optical surface may not have cold glue, non-optical surface cold glue should meet the visual is not obvious.	Visual	√		
Bad incision	1: Do not affect the product size, shall not penetrate the optical surface, the cut should be smooth;	Visual			√
	2: Laser cutting products, the optical surface burns shall not occur after the processing is completed. Beading must not affect product installation				
	3: Three molds and hot runner gate shall not appear residue.				
Scrub	Scrub surface should be uniform, off the scrub phenomenon should not be obvious , A single off scrub imprint requires $D \leq 1\text{ mm}$ and no more than 1 area within a 50x50 mm area	Visual		√	



HERCULUX Chengdu HercuLux Photoelectric
 恒坤光电 Technology Co.,Ltd
Product Approval

Approval number :

Customer :

Product : 5225 35 °Lens

Material Code : 1.01.5429

PN : HK-52@25-35-D6-20-1g-1

Manufacturer : Chengdu HercuLux Photoelectric Technology Co.,Ltd



Supplier confirmation				Client confirmation			
Proposed		DATE		Qualified <input type="checkbox"/>		DATE	
Project manager		DATE		Unqualified <input type="checkbox"/>		DATE	
Audit		DATE		Audit		DATE	
Approved		DATE		Approved		DATE	
Stamp		DATE		Stamp		DATE	

(Confirmation of acceptance by both parties must be signed and sealed)

Factory: Chengdu Shuangliu District, Iot industrial park 2 road HercuLux Photoelectric Park

Phone : 028-85887727 (801) 028-85887990 (801)

Fax : 028-85887730

www.hkoptics.com

Sales Dept: Shenzhen Nanshan District Nanshan Cloud Valley Innovation Industrial Park Comprehensive Service Building,

TEL: 0755-2937 1541

FAX: 0755-2907 5140

*Approval In duplicate , for both supplier and customer.



HERCULUX
恒坤光电

Product Approval


TEL: 0755-2937 1541

FAX: 0755-2907 5140

www.hkoptics.com

Date updated: 2018/12/27



Product Picture:	
PN:	HK-52@25-35-D6-20-1g-1
Size(L*W*H/Φ*H):	Φ:52mm*H:24.8mm
1.07.81418_HK-166@03-0223-S	PC
Efficiency:	\
Temperature(Topr):	-40°C to +120°C
FWHM:	35°
Matched LES:	D6





Technical Requirement:

1. The surface don't have any defects of flash, shrink and bubble.
2. The uncharted fillet and pattern draft subject to the 3D drawing.
3. The uncharted dimensional tolerance subject to the 3D drawing.

Optical Design			5225 35 ° Lens		HK-52@25-35-D6-20-1g-1	1.01.5429
Structure Design					Pages	Qty
Assess					2	
Authorized			Material:	PC	CDHK	



GO1900L GONIOPHOTOMETER Test Report Page 1 Of 2



Intensity data: (deg , cd) C0-180

A	I	A	I	A	I	A	I	A	I	A	I
-90.0	0.0677	-58.5	3.530	-27.0	29.18	4.5	1009	36.0	8.292	67.5	2.802
-88.5	0.0679	-57.0	3.483	-25.5	45.09	6.0	993.6	37.5	6.675	69.0	2.538
-87.0	0.1355	-55.5	3.432	-24.0	71.32	7.5	971.8	39.0	5.581	70.5	2.253
-85.5	0.1925	-54.0	3.359	-22.5	112.6	9.0	942.0	40.5	4.886	72.0	1.943
-84.0	0.2711	-52.5	3.323	-21.0	170.6	10.5	909.6	42.0	4.381	73.5	1.532
-82.5	0.3401	-51.0	3.275	-19.5	236.9	12.0	862.6	43.5	4.023	75.0	0.9616
-81.0	0.4302	-49.5	3.275	-18.0	319.2	13.5	798.5	45.0	3.763	76.5	0.8084
-79.5	0.5332	-48.0	3.303	-16.5	417.1	15.0	712.7	46.5	3.586	78.0	0.7689
-78.0	0.6231	-46.5	3.397	-15.0	524.5	16.5	615.3	48.0	3.439	79.5	0.6994
-76.5	0.7122	-45.0	3.493	-13.5	630.6	18.0	513.3	49.5	3.344	81.0	0.5995
-75.0	0.7801	-43.5	3.648	-12.0	734.2	19.5	409.7	51.0	3.258	82.5	0.4814
-73.5	0.8470	-42.0	3.840	-10.5	820.1	21.0	302.1	52.5	3.214	84.0	0.4203
-72.0	1.110	-40.5	4.111	-9.0	885.3	22.5	225.3	54.0	3.153	85.5	0.3114
-70.5	1.696	-39.0	4.543	-7.5	929.7	24.0	159.5	55.5	3.152	87.0	0.2407
-69.0	2.157	-37.5	5.036	-6.0	962.4	25.5	107.5	57.0	3.135	88.5	0.2019
-67.5	2.527	-36.0	5.756	-4.5	990.7	27.0	69.87	58.5	3.130	90.0	0.1263
-66.0	2.853	-34.5	6.749	-3.0	1010	28.5	46.17	60.0	3.172		
-64.5	3.123	-33.0	8.207	-1.5	1023	30.0	30.85	61.5	3.206		
-63.0	3.327	-31.5	10.31	0.0	1027	31.5	20.83	63.0	3.220		
-61.5	3.458	-30.0	13.63	1.5	1027	33.0	14.44	64.5	3.129		
-60.0	3.543	-28.5	19.32	3.0	1019	34.5	10.72	66.0	3.006		


Electricity Parameter:

Current I: 0.1000A Power: 3.400W
Voltage V: 34.00V PF: 0.000

Optical Parameter(Distance=2.410m):

Equivalent Luminous flux: Φ_{eff} = 318.3lm Efficiency: Eff=93.63lm/W
Diffuse angle: θ (25%): 40.8deg θ (50%): 33.0deg θ (75%): 25.4deg θ (50%): 33.0deg
Diffuse angle: θ (25%): 40.8deg θ (50%): 33.0deg θ (75%): 25.4deg θ (50%): 33.0deg
Imax=1028cd (C=0.0deg, G=0.5deg) C0-180Plane Imax= 1028cd(G=0.5deg)
C0-180Plane IO= 1027cd






		Standard size	Upper Size limit	Lower size limit	Test result1	Test result2	Test result3	Test result4	Judgment	Remarks																																										
1.Size	diameter	52	/	/	/	/	/	/	/	Test environment: In 20 °C -25 °C environment to achieve thermal equilibrium after the test.																																										
	height	22.8	/	/	/	/	/	/	/																																											
	Gate shear can not affect the appearance of the lamp																																																			
	See attachment "Appearance Inspection Standards"																																																			
2.Appearance Quality	See attachment "Appearance Inspection Standards"	E	No burr	No burr	No burr	No burr	OK																																													
			No stains	No stains	No stains	No stains																																														
3.Material	PC			Color	Transparent		OK																																													
4.Optical index	Testing LED	D6																																																		
	FWHM	See light distribution curve																																																		
	angle	/	/	/	/	/	/	/	/																																											
	K-value	/	/	/	/	/	/	/	/																																											
	Efficiency	/	/	/	/	/	/	/	/																																											
Facula	See the signature sample																																																			
Comprehensive judgment	Qualified																																																			
Remarks:	<p>1、 Tool Number: V-Vernier Caliper 2D-Quadratic H-Height Gauge M-Tool Microscope P-Needle T-Thick Gauge R-Radius Gauge E-Visual.</p> <p>2、 Ambient temperature on the size of the product refer to the table on the right</p>																																																			
	<p style="text-align: center;">PC product size changes with temperature table</p> <table border="1"> <caption>Data for PC product size changes with temperature table</caption> <thead> <tr> <th>Temperature (°C)</th> <th>Size: 50mm</th> <th>Size: 100mm</th> <th>Size: 150mm</th> <th>Size: 200mm</th> <th>Size: 250mm</th> <th>Size: 300mm</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td>10</td> <td>0.02</td> <td>0.05</td> <td>0.08</td> <td>0.12</td> <td>0.15</td> <td>0.20</td> </tr> <tr> <td>20</td> <td>0.04</td> <td>0.10</td> <td>0.15</td> <td>0.22</td> <td>0.28</td> <td>0.38</td> </tr> <tr> <td>30</td> <td>0.06</td> <td>0.15</td> <td>0.22</td> <td>0.30</td> <td>0.38</td> <td>0.50</td> </tr> <tr> <td>40</td> <td>0.08</td> <td>0.20</td> <td>0.28</td> <td>0.38</td> <td>0.48</td> <td>0.65</td> </tr> </tbody> </table>										Temperature (°C)	Size: 50mm	Size: 100mm	Size: 150mm	Size: 200mm	Size: 250mm	Size: 300mm	0	0.00	0.00	0.00	0.00	0.00	0.00	10	0.02	0.05	0.08	0.12	0.15	0.20	20	0.04	0.10	0.15	0.22	0.28	0.38	30	0.06	0.15	0.22	0.30	0.38	0.50	40	0.08	0.20	0.28	0.38	0.48	0.65
Temperature (°C)	Size: 50mm	Size: 100mm	Size: 150mm	Size: 200mm	Size: 250mm	Size: 300mm																																														
0	0.00	0.00	0.00	0.00	0.00	0.00																																														
10	0.02	0.05	0.08	0.12	0.15	0.20																																														
20	0.04	0.10	0.15	0.22	0.28	0.38																																														
30	0.06	0.15	0.22	0.30	0.38	0.50																																														
40	0.08	0.20	0.28	0.38	0.48	0.65																																														
Precautions:	<p>1、 Wear clean gloves during lens assembly to prevent contamination of the lens surface.</p> <p>2、 Take the lens try to avoid touching the total reflection surface.</p> <p>3、 When the lens surface contamination, you can only gently wipe with soft cotton sticky neat neutral solvent, not allowed to wipe with industrial solvents.</p>																																																			

PN	HK-52@25-35-D6-20-1g-1		Product Name	5225 35 °Lens			
Product material	PC		Customer				
Package diagram	 <p>Single → Vacuum package → Box package</p>						
Product packing	14	A/ Box	4	Box/Layer			
	8	Layer/Box	448	A/ Carton			
Packaging Materials	NO.	Part No	Part name	Size	Dosage	Unit	Remarks
	1	2.07.0008	Blister box	23cm*21cm	32	BAG	
	2	2.08.0001	PE film	30cm*30cm	32	PCS	
	3	2.06.0005	Reel label paper	6.2cm*8cm	48	PCS	
	4	2.06.0005	Box label paper	6.2cm*9.2cm	1	PCS	
	5	2.06.0003	big plate	46.8cm*42.8cm	9	PCS	
	6	2.06.0001	big carton	46.8cm*42.8cm*36cm	1	PCS	
Remarks	The loose packing is not subject to this specification. Customer's requirements shall prevail(There are three layers of 24 bags for each layer and 5 bags for the top layer)						

Special notice

When glue pass through holes, columns and other structures, or part of the thin structure, will form a weld line. The product which uses multi-point injection welding line will appear because of the combination of sol, as shown below:

Syntner



Please note :

The appearance of lines in the structure of the product as well as at the screw hole is a normal phenomenon, will not affect the actual use of the product, and can not be avoided at this stage.

Appearance inspection standards

1 Operating procedures

1.1.1 Sampling standards, sampling plan and AQL

Test level : GB/T2828.1-2012 The first part is according to the acceptance quality limit (AQL) retrieval batch inspection sampling plan, general inspection level II level, CR class defect coefficient 0, MA defect rejection level AQL = 0.65, MI class defect rejection level AQL = 1.0; defect level please see 5.4.

2 Code table

Code	Code description	Unit	Code		Code description	Unit
N	Amount/pcs	pcs	D		Diameter	mm
L	Length	mm	H		Depth	mm
W	Width	mm	DS		Distance	mm
S	Proportion	mm ²	SS		Offset	mm

3 Test conditions

3.1 Sight distance and working hours: Sight distance should be 30-35cm, each side of the inspection time does not exceed 12s, the visual angle of 45-135 degrees;

3.2 Light: 2x40w cool white fluorescent lamp, the light source is 500-550mm away from the lens surface; in order to make the appearance defect can be correctly recognized, the illumination should be 500-1000Lux, and the observation time is 10 seconds.

3.3 Visual inspection staff should be 1.0 (including corrected visual acuity) above, no color blindness, color weakness.

4 Appearance inspection standards

Test items	Judging standard	Inspection equipment	Defect level		
		Testing method	MI	MA	CR
Check the sample	When start the machine and process, all products have to check the appearance of the sample, the appearance of the sample is divided into qualified samples and limited samples.	Sample comparison , visual			
	1: Qualified sample refers to the appearance and structure standard of the product which recognized by the client, the sample size should be confirmed before mass production;				

	2: The limited sample refers to the limit of a particular exceptionally developed sample. Limit the sample only for its specific point of exception to confirm; The priority is higher than the other criteria in this table. When there is a limited sample, the limit sample shall prevail.				
Raw edge	Not allowed to affect the size and assembly	Visual, point card		√	
Scratch	1: Non-optical surface and non-exposed surface scratches should be visually insignificant and the length is less than 1/10 of the maximum surface size.	Visual, point card, calipers		√	
Fingerprint	Fingerprints are not allowed on all products	Visual		√	
Foreign objects, black spots, white spots	The product may not be attached to foreign objects, including oil, fiber, dregs of water gap and so on				√
Deformation	Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces.	Visual, feeler			√
Poor ejection	Products may not appear bad ejection, including no convex top, thimble printed on the assembly surface shall not be higher than the product surface, non-assembled surface thimble height should not exceed the product size tolerances; thimble printing should be less than the product surface and no more than 0.3; thimble surface treatment should be consistent with the product side.	Visual, point card		√	
	Ejection strain: the optical surface and the appearance of the exposed surface after assembly are not allowed to have a strain, and the structural surface does not allow visual obvious strain.				
Insufficient filling	Insufficient filling shall not affect the appearance of the assembly and the exposed surfaces , The signature sample shall prevail.	Visual, point card		√	
Shrink	When the entire surface of the product shrinks, the optical properties and dimensions must meet the requirements, and the visual will not significantly affect the appearance.Part shrink reference point defects	Visual, point card		√	
Flow marks、Welding line	1 : Product does not allow the presence of flow marks and welding lines unless the structure can not be avoided;	Visual		√	
	2: The remaining flow marks shall not appear in the optical surface, a single $L \leq 10\text{mm}$, no more than two				

Bubble	No bubbles are allowed	Visual		√	
Foreign objects, black spots, white spots	Not obvious or $D \leq 0.3\text{mm}$ black spots and foreign bodies in the area of 100x100mm not more than 1; Exceeded foreign matter black spots is judged bad.	Visual, point card	√		
Damaged	No damage is allowed	Visual			√
Cold glue	Optical surface may not have cold glue, non-optical surface cold glue should meet the visual is not obvious.	Visual	√		
Bad incision	1: Do not affect the product size, shall not penetrate the optical surface, the cut should be smooth;	Visual			√
	2: Laser cutting products, the optical surface burns shall not occur after the processing is completed. Beading must not affect product installation				
	3: Three molds and hot runner gate shall not appear residue.				
Scrub	Scrub surface should be uniform, off the scrub phenomenon should not be obvious , A single off scrub imprint requires $D \leq 1\text{ mm}$ and no more than 1 area within a 50x50 mm area	Visual		√	